| S11<br>8 | 2   | socket\$1 same (connections or requests) with thread\$3 with API                            | USPAT  | OR | OFF              | 2005/03/09 13:20 |
|----------|-----|---|--------|----|------------------|------------------|
| S11<br>9 | 396 | socket\$1 same (connections or requests) with thread\$3                                     | USPAT  | OR | OFF              | 2005/03/09 13:21 |
| S12<br>0 | 9   | socket\$1 same (connections or requests) with single with thread\$3                         | USPAT  | OR | OFF              | 2005/03/09 13:24 |
| S12<br>1 | 1   | socket\$1 same (connections or requests) with continuous with thread\$3                     | USPAT  | OR | OFF              | 2005/03/09 13:24 |
| S12<br>2 | 9   | socket\$1 same (connections or requests) with only with thread\$3                           | USPAT  | OR | OFF              | 2005/03/09 13:56 |
| S12<br>3 | 3   | socket\$1 same (connections or requests) with call\$3 with thread\$3                        | USPAT  | OR | OFF              | 2005/03/09 13:59 |
| S12<br>4 | 13  | socket\$1 same (connections or requests) with accept\$6 with thread\$3                      | USPAT  | OR | OFF              | 2005/03/09 14:06 |
| S12<br>5 | 11, | socket\$1 same (connections or requests) with receive with thread\$3                        | USPAT. | OR | OFF              | 2005/03/09 14:08 |
| S12<br>6 | 11  | socket\$1 same (connections or requests) with (function or operation) with thread\$3        | USPAT  | OR | OFF              | 2005/03/09 14:08 |
| S12<br>7 | 119 | socket\$1 same (connections or requests) with call\$1                                       | USPAT  | OR | OFF              | 2005/03/09 14:08 |
| S12<br>8 | 9   | socket\$1 same (connections or requests) with call\$1 same thread\$1                        | USPAT  | OR | OFF              | 2005/03/09 15:19 |
| S12<br>9 | 38  | socket\$1 & (connections or requests) with call\$1 same thread\$1                           | USPAT  | OR | OFF              | 2005/03/09 15:21 |
| S13<br>0 | 15  | socket\$1 & (connections or requests) with call\$1 with thread\$1                           | USPAT  | OR | OFF              | 2005/03/09 15:44 |
| S13<br>1 | 69  | (connections or requests) with call\$1 with thread\$1                                       | USPAT  | OR | OFF              | 2005/03/09 15:56 |
| S13<br>2 | 15  | (connections or requests) with call\$1 with thread\$1 & socket\$1                           | USPAT  | OR | OFF <sub>.</sub> | 2005/03/09 15:56 |
| S13<br>3 | 69  | (connections or requests) with call\$1 with thread\$1                                       | USPAT  | OR | OFF              | 2005/03/09 17:26 |
| S13<br>4 | 12  | ( (connections or requests) same call\$1 same thread\$1 ).ab.                               | USPAT  | OR | OFF              | 2005/03/09 16:04 |
| S13<br>5 | 17  | (connections or requests) same<br>thread\$1 same accept\$3 same<br>receiv\$3 same socket\$1 | USPAT  | OR | OFF              | 2005/03/09-17:32 |
| S13<br>6 | 1   | (connections or requests) same<br>thread\$1 same ( winsock near2<br>API)                    | USPAT  | OR | OFF              | 2005/03/09 17:33 |
|          |     | ·   | L      | l  |                  |                  |

| S13<br>7 | . 2 | (connections or requests) & thread\$1 same ( winsock near2 API)                               | USPAT           | OR | OFF      | 2005/03/09 17:33 |
|----------|-----|---|-----------------|----|----------|------------------|
| S13<br>8 | 161 | (connections or requests) same<br>thread\$1 same ( API)                                       | USPAT           | OR | OFF      | 2005/03/09 17:34 |
| S13<br>9 | 9   | (connections or requests) same<br>thread\$1 same ( API) same<br>socket\$1                     | USPAT           | OR | OFF      | 2005/03/09 17:36 |
| S14<br>0 | 2   | thread\$1 same ( API) with (<br>multiple or plurality or different)<br>same socket\$1         | USPAT           | OR | OFF      | 2005/03/09 17:39 |
| S14<br>1 | 6   | thread\$1 same ( API) same (<br>multiple or plurality or different)<br>same socket\$1         | USPAT           | OR | OFF      | 2005/03/09 17:40 |
| S14      | 166 | ( accept\$3 or listen\$1) with (API or  | USPAT           | OR | OFF      | 2005/03/09 17:41 |
| 2        |     | call\$6) with (connections or requets)  | u kir.          |    | (Agr. C) |                  |
| S14<br>3 | 16  | ( accept\$3 same listen\$1) with (API or call\$6) with (connections or requets)               | USPAT           | OR | OFF      | 2005/03/09 17:48 |
| S14<br>4 | 35  | ( listen\$1) with (API or call\$6) with (connections or requets)                              | USPAT           | OR | OFF      | 2005/03/09 17:53 |
| S14<br>5 | 137 | ( single near6 (API or call\$6) ) with (connections or requets)                               | USPAT           | OR | OFF      | 2005/03/09 17:53 |
| S14<br>6 | 0   | ( single near6 (API or call\$6) ) with (connections or requets) same accept46 same listen\$1  | USPAT           | OR | OFF      | 2005/03/09 17:53 |
| S14<br>7 | 0   | ( single near6 (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1 | USPAT           | OR | OFF      | 2005/03/09 17:56 |
| S14<br>8 | 2   | ( single near6 (API or call\$6) ) with (connections or requets) same accept\$6                | USPAT           | OR | OFF      | 2005/03/09 17:54 |
| S14<br>9 | 0   | ( single near6 (API or call\$6) ) with (connections or requets) same thread\$1                | USPAT           | OR | OFF      | 2005/03/09 17:54 |
| S15<br>0 | -0  | ( single near6 (API or call\$6) ) with (connections or requets) same                          | USPAT           | OR | OFF      | 2005/03/09 17:55 |
| 1        |     | socket\$6   | to the state of |    |          |                  |
| S15<br>1 | 9   | ( single near6 (API or call\$6) ) with (connections or requets) same client\$1                | USPAT           | OR | OFF      | 2005/03/09 17:55 |
| S15<br>2 | . 0 | ( only near6 (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1   | USPAT           | OR | OFF      | 2005/03/09 17:57 |
| S15<br>3 | 1   | ( one near6 (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1    | USPAT           | OR | OFF      | 2005/03/09 17:57 |

| S15<br>4 | 25   | ( (API or call\$6) ) with (connections<br>or requets) same accept\$6 same<br>listen\$1 | USPAT | OR  | OFF | 2005/03/14 10:47 |
|----------|------|--|-------|-----|-----|------------------|
| S15<br>5 | 2    | (buffer\$3 with request\$3 with size same client\$1).ab.                               | USPAT | OR  | OFF | 2005/03/14 11:11 |
| S15<br>6 | 3    | (buffer\$3 with size same client\$1 with request\$3 ).ab.                              | USPAT | OR  | OFF | 2005/03/14 10:52 |
| S15<br>7 | 27   | (buffer\$3 with size with request\$3 ).ab.   | USPAT | OR  | OFF | 2005/03/14 10:52 |
| S15<br>8 | 60   | (buffer\$3 with request\$3 with size same client\$1)                                   | USPAT | OR  | OFF | 2005/03/14 10:53 |
| S15<br>9 | 1    | (buffer\$3 with request\$3 with size with "same" same client\$1)                       | USPAT | OR  | OFF | 2005/03/14 10:58 |
| S16<br>0 | 10   | (buffer\$3 with request\$3 with size with " same" & client\$1)                         | USPAT | OR  | OFF | 2005/03/14 11:03 |
| S16<br>1 | 4    | (buffer\$3 with request\$3 with " same size" & client\$1)                              | USPAT | OR  | OFF | 2005/03/14 11:14 |
| S16<br>2 | . 11 | (buffer\$3 with request\$3 with " same size")  | USPAT | OR  | OFF | 2005/03/14 11:08 |
| S16<br>3 | 0    | (buffer\$3 with " same size" with stor\$3 same client\$1)                              | USPAT | OR  | OFF | 2005/03/14 11:10 |
| S16<br>4 | 1    | (buffer\$3 with " same size" same client\$1)   | USPAT | OR  | OFF | 2005/03/14 11:10 |
| S16<br>5 | 522  | (buffer\$3 with " same size" )   | USPAT | OR  | OFF | 2005/03/14 11:10 |
| S16<br>6 | 65   | (buffer\$3 with " same size" with stor\$3)   | USPAT | OR  | OFF | 2005/03/14 11:10 |
| S16<br>7 | 60   | (buffer\$3 with request\$3 with size same client\$1)                                   | USPAT | OR  | OFF | 2005/03/14 11:14 |
| S16<br>8 | 56   | (buffer\$3 near5 size\$1 with request\$3 same client\$1)                               | USPAT | OR  | OFF | 2005/03/14 11:14 |
| S16<br>9 | 1    | (buffer\$3 with message\$1 with "<br>same size" & client\$1)                           | USPAT | OR  | OFF | 2005/03/14 11:16 |
| S17<br>0 | 3    | (buffer\$3 with message\$1 with " same size" & server\$1 )                             | USPAT | OR  | OFF | 2005/03/14 11:17 |
| S17<br>1 | 4    | (buffer\$3 with message\$1 with " same size")  | USPAT | OR  | OFF | 2005/03/14 11:47 |
| S17<br>2 | 1    | ( "6,175,879" b1).pn.  | USPAT | OR  | OFF | 2005/03/14 16:27 |
| S17<br>3 | 1    | ( "6,615,172" B1).pn.  | USPAT | OR  | OFF | 2005/03/14 16:31 |
| S17<br>4 | 1    | ( "6,691,176" B1 ).pn.   | USPAT | OR  | OFF | 2005/03/14 16:32 |
| S17<br>5 | 1    | ( "6,317,794" b1 ).pn.   | USPAT | -OR | OFF | 2005/03/14 17:26 |
|          |      |  |       |     |     |                  |

| S17<br>6 | 1  | ( "6,317,794" b1).pn.   | USPAT | OR | OFF | 2005/03/15 12:34 |
|----------|----|---|-------|----|-----|------------------|
| S17<br>7 | 1  | ( "5,815709").pn.   | USPAT | OR | OFF | 2005/03/15 14:08 |
| S17<br>8 | 1  | ( "5,815,709").pn.  | USPAT | OR | OFF | 2005/03/15 14:10 |
| S17<br>9 | 1  | ( "5,615400").pn.   | USPAT | OR | OFF | 2005/03/15 15:50 |
| S18<br>0 | 2  | ( library with (id or identif\$6) with compatibil\$6).ab.                 | USPAT | OR | OFF | 2005/03/15 15:52 |
| S18<br>1 | 0  | ( library with (id or identif\$6) same dynamic\$6 & compatibil\$6).ab.    | USPAT | OR | OFF | 2005/03/15 15:52 |
| S18<br>2 | 19 | ( librar\$3 with (id or identif\$6) with dynamic\$6 & compatibil\$6) "."  | USPAT | OR | OFF | 2005/03/15 15:53 |
| S18<br>3 | 0  | ( librar\$3 with (id or identif\$6) with dynamic\$6 same compatibil\$6)   | USPAT | OR | OFF | 2005/03/15 15:53 |
| S18<br>4 | 0  | ( librar\$3 with (id or identif\$6) with dynamic\$6 same incompatibil\$6) | USPAT | OR | OFF | 2005/03/15 15:53 |
| S18<br>5 | 19 | ( librar\$3 with (id or identif\$6) with dynamic\$6 & compatibil\$6)      | USPAT | OR | OFF | 2005/03/15 17:06 |
| S18<br>6 | 1  | ( "5,615,400").pn.  | USPAT | OR | OFF | 2005/03/16 11:52 |
| S18<br>7 | 1  | ( "6,145067").pn.   | USPAT | OR | OFF | 2005/03/16 16:10 |
| S18<br>8 | 1  | ( "5,937,199").pn.  | USPAT | OR | OFF | 2005/03/16 16:10 |